



RodiCare® Hepato

Feed supplement for rabbits, guinea pigs and small rodents

Contains milk thistle and artichoke

CONTAINS
NO ADDED
SUGAR



Choline acts as a starting material for the synthesis of phosphatidylcholine.

Methylsulphonylmethane (MSM) provides highly active sulphur and is required for the formation of S-Adenosyl methionine and phosphatidylcholine.

B-vitamins from yeast are involved in numerous metabolic processes in the liver.

Milk thistle, artichoke and curcuma provide valuable secondary plant substances.

RodiCare® Hepato also contains **bentonite**.



RodiCare® Hepato provides the liver with valuable nutrients like vitamins and choline, which have to be consumed in sufficient quantities to maintain the liver metabolism and detoxication function.

Composition:

Curcuma, macerated 7.5 %, yeast 3 %, methylsulphonylmethane 0.2 %, milk thistle 0.1 %, artichoke 0.1 %, curcuma 0.1 %

Analytical components:

Crude protein	4.3 %	Crude fibre	0 %
Crude fat	1.3 %	Crude ash	5.7 %
Sodium	0.1 %	Moisture	83.1 %

Additives per 1000 ml:

Nutritional physiological additives:

Choline chloride	50,000 mg
Folic acid	300 mg

Flavourings:

Milk thistle extract	75 ml
Artichoke extract	75 ml

Technological additives:

Bentonite [1m558i]	20,000 mg
--------------------	-----------

Feeding recommendation:

To be given once a day with food or directly into the mouth.

Depending on body weight

Hamsters, degus:

0.1 – 0.2 ml

Rats, chinchillas:

0.3 – 0.5 ml

Guinea pigs:

0.5 – 0.75 ml

Dwarf rabbits:

0.75 – 1 ml

Rabbits:

1 – 1.5 ml

Recommended period of use:

At least 4 to 6 weeks. Long-term use will not cause any harm. The dose can be increased if required.

Notes:

Avoid simultaneous oral administration of macrolides. Shake before use! Rinse the syringe after use. Store away from light and not above 25°C. Use up once opened.

Durability: 24 months

Trading form:

20 ml glass bottle with dosing syringe